

	/O %	
	APR 1 9 2002 E SEQUENCE LISTING	
<110>	Wariagenics Inc	
<120>	Base-Modified Nucleotides and Their Use for Polymorphism Detecti	0
<130>	266/118	
<140>	US 10/043,615 2002-01-08	
(141)	2002-01-08	
<160>	15	
<170>	PatentIn version 3.1	
<210>	1	
<211>	69	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
<223>	Hypothetical sequence prepared to demonstrate method of invention	n
<400>	1	
	acag cacagacttc accaggcacc atcaagctgc tgaatgaaaa ttcatatgtc 6	0
33		
cctcgt	gag 6	9
<210>	2	
<211>	71 ,	
<212>	DNA	
<213>	Artificial Sequence	
<220>	•	
<223>	Hypothetical sequence prepared to demonstrate method of invention	n
	•	
<400>	2	
ctttga	cctg tcgtgtctga agtggtccgt ggtagttcga cgacttactt ttaagtatac 6	Э
	cact c 7.	-
agggag	Lact C	_
<210>	3	
<211>	66	
<212>	DNA	

<213> Artificial Sequence

<220>

<223> Hypothetical sequence prepared to demonstrate method of invention

<400> 3 ctgaagagaa agttgtcgga gaaactggac agcacagact tcaccaggca ccatcaagct

60

gctgaa 66

<210:	> 4	
<211:		
<212:		
<213:		•
\Z1J.	> Artificial Sequence	
<220:		
<223>	Hypothetical sequence prepared to demonstrate method of inven	
		1110
<400>	. 4	
acaac	tettt caacageete tttgaeetgt egtgtetgaa gtggteegtg gtagttegae	60
gactt		
3.000		65
<210>	5	
<211>	66	
<212>		
<213>	Artificial Sequence	
	•	
<220>		
<223>	Hypothetical sequence prepared to demonstrate method of inven-	
	,	cion
	· ·	
<400>		
tgaaga	agaaa gttgtcggag aaactggaca gcacagactt cacaggcacc atcaagctgc	60
		• •
tgaat	d .	66
<210>	6	
<211>		
<212>		
<213>		
	transfer bequence	
<220>		
<223>	Hypothetical sequence prepared to demonstrate method of invent	
	,	ion
<400>	6	
acaact	cttt caacageete tttgaeetgt egtgtetgaa gtggteegtg gtagttegae	60
		60
gactta	C	67
		٠,
-210 :		
<210>	7	
	82	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<220>	92 nt company 5	
-2237	82 nt sequence from transferrin receptor amplified using modificulation.	ed

<400			
gaaa	ctggac agcacagact tcaccagcac catcaagctg ctgaatgaaa attcatatgt	60	
	cgtgag gctggatctc aa		
		82	
<210	> 8		
	> 82		
	> DNA		
<213	> Artificial Sequence		
<220:			
<223:			
	82 nt sequence from transferrin receptor with polymorphism a ied with modified nucleotide.	umplif	
<400>		•	
	acctg tegtgtetga agtggtegtg gtagttegae gaettaettt taagtataea	60	
gggag	cactc cgacctagag tt	82	
<210>			
<211>			
	DNA		
<213>	Artificial Sequence		
<220>			
<223>	Fragment obtained from cleavage of sequence in Fig. 7A.		
<400>		•	
	cggac agcacagact tcacc	•	
		25	•
<210>	10		
<211>			•
<212>			
<213>	Artificial Sequence		
<220>			
	Fragment obtained from cleavage of sequence in Fig. 7A.		
	obsumed from creavage of sequence in Fig. 7A.	•	
<400>	10		
gaaact	ggac agcacagact teacegge	28	
<210>	11		
<211>	22		
<212> <213>			
(213)	Artificial Sequence		
<220>			
<223>	Fragment obtained from cleavage of sequence in Fig. 7A.		
<400>	11		
	44		
	actc cgacctagag tt	22	
		22	

```
<210> 12
 <211>
        13
 <212>
        DNA
 <213> Artificial Sequence
 <220>
 <223> Fragment obtained from cleavage of sequence in 7A.
 <400> 12
 cctgtcgtgt ctg
                                                                      13
 <210> 13
 <211> 11
 <212> DNA
 <213> Artificial Sequence
<220>
<223> Fragment obtained from cleavage of sequence in 7A.
<400> 13
gtggtcgtgg t
                                                                      11
<210> 14
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> Fragment obtained from cleavage of sequence in 7A.
<400> 14
gtggccgtgg t
                                                                     11
<210> 15
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> Fragment obtained from cleavage of sequence in 7A.
<400> 15
tgtccctcgt g
                                                                     11
```